2019 SPRING TREE SEEDLING SALE

Transplants are bareroot plants that have had their root system pruned and planted back in the ground. This greatly increases the survival when again dug and planted. A 2/2 transplant has spent two years in a seedling bed and two years in a transplant bed. These have excellent survival when given good weed and grass control, and they are easy to plant. We take only prepaid orders while quantities last, so order early! The pickup location is as it has been the last couple of years behind our office in the new pole building. However, we will have only a one day pickup during business hours 8:00 a.m. to 4:30 p.m. on Friday, April 19, 2019. Please make arrangements to have your prepaid orders picked up for best survival of your seedlings.

EVERGRE	ENS 5 se	eedlings	per pa	cket	OFFICE	CONTAG	CITY/STATE/ZIF	ADRESS	NAME_
Seedling	Age & Seedling Size	How many packets do you want?	Price per packet	Extended cost	OFFICE RECEIPT#	CONTACT PHONE	ATE/ZIP		
Colorado Blue Spruce	2/2T 18" to 24"		\$12.00	\$					
Concolor Fir	2/2T 18" to 24"		\$12.00	\$					
Norway Spruce	2/2T 24" to 36"		\$12.00						
		'SHADE s per pa							
Pin Oak	24" to 36"		\$5.00						
Eastern Redcedar	18" to 24"		\$5.00						
FLOWERING	TREES 2	2 seedlir	igs per	packet					
Sargent Crabapple	10" to 18"		\$5.00	\$					
Eastern Redbud	24" to 30"		\$5.00	\$					
		Your T	otal Cost	\$					
Payable i	_	_							

THE DISTRICT SURVEYOR

COMMON NAME (Scientific name)	AVERAGE LANDSCAPE HEIGHT	SOIL	LIGTH PREFERENCE	GROWTH RATE	DESCRIPTION
Colorado Blue Spruce (Picea pungens glauca)	30' to 60'	Prefers sandy, loamy, acidic soil.	Full sun	Slow	Cones; stiff and prickly needles
Concolor Fir (Abies concolor)	30' to 50'	Prefers rich moist, well drained sandy loam soil	Full sun but tolerates light shade	Slow to medium	"White" fir, nar- row & conical co- nifer; soft, flat pale blue-green nee- dles
Norway Spruce (Picea abies)	40' to 60'	Prefers sandy, acidic, well drained soil	Full sun to very light shade	Medium to fast	Dense, symmet- rical, strong cen- tral leader, hori- zontal sidebranch- lets, 4-6" pendu- lous cones
Pin Oak (Swamp Oak) (Quercus palustris)	60' to 70'	Prefers moist rich acidic, well drained soil	Full sun	Fast	Strongly pyrami- dal; leaf bronze to red in fall; clus- tered nut with cap
Eastern Redcedar (Juniperus virginiana)	40' to 50'	Prefers a deep, moist loam on well drained subsoil	Full sun	Medium	Usually dioecious; may have in late winter; sometimes various colored cones
Sargent Crabapple (Malus sargentii)	6' to 8'	Prefers medium moisture, well drained, acidic loams	Full sun	Medium	Deciduous shrub with pale pink buds, white flow- ers; edible ber- ries; attracts birds and butterflies
Eastern Redbud (Cercis canadensis)	20' to 30'	Prefers well drained, deep soils; adaptable to acidic or al- kaline soils	Full sun to light shade	Medium	Purple red bud opening to a rosy pink flower; red- dish purple leaf to green in summer to yellow green in fall

2019 SPRING FISH SALE

The prepaid fish order <u>deadline</u> is <u>April 9, 2019</u>. The pickup is 2:30 p.m. to 3:30 p.m. on **Tuesday April 16, 2019** in the parking lot of our building. It is necessary for you to make arrangements to pickup at the specified time on the specified date.

Bring buckets (5 gallon pails work great) lined with garbage bags and half filled with water from the pond that your are going to stock. Do not use treated water. Fenders will inject oxygen in the bags and tie the bag for transport.

NAME		
ADDRESS		
CITY/STATE/ZIP		
CONTACT PHONE #	OFFICE	RECEIPT#

FISH	SIZE	COST	HOW	EXTENDED
			MANY	COST
Black Crappie	2" to 4"	\$.90		\$
Largemouth Bass	2" to 3"	\$.95		\$
Bluegill	2" to 4"	\$.90		\$
Hybrid Bluegill	2" to 4"	\$.85		\$
Channel Catfish	4" to 5"	\$.80		\$
Yellow Perch	2" to 3"	\$.90		\$
Fathead Minnows	2" to 3"	\$.07		\$
Amur	8" to 10"	\$13.00		\$
Japanese Koi	6" to 8"	\$11.00		\$
Redear Sunfish	2" to 4"	\$.90		\$
Pond Conditioner	1 gallon for 1/4 acre treatment	\$90.00		\$

Your Total Cost | \$

Payable in cash, check or credit card Huron SWCD, 8 Fair Rd. Norwalk, OH 44857

WWW.HURONSWCD.COM

"An Equal Opportunity Provider and Employer"

	2019 SPRI	NG FISH S.	ALE		
	HABITAT/ ABOUT	FOOD	INITIAL STOCKING	ADULT SIZE	
Black Crappie	Stocked in many lakes and reservoirs around Ohio; close to surface at dawn; prefer stony or hard bottom to lay eggs	Feed on fish and insects	100 per acre along with bass and bluegill; re- stocked every 3 to 5 years	12" to 14"	
Bluegill	Common throughout Ohio but prefer clear ponds and lakes with vegetation	Insects, insect larvae, small fish, fish eggs, and plant materials	500 per acre	6" to 10"	
Hybrid Bluegill		Insects and small fish	100 per acre, because they have a 1% reproduction rate; stock with bluegill	Length of parer bluegill and ag gressiveness a thickness of the green sunfish; to 11"	
Largemouth Bass	Found in ponds, lakes, and slow sluggish streams in every county in Ohio	Adults eat crayfish, frogs, large insects, and fishes	100 per acre	12" to 15"	
Channel Catfish	Common is most large streams and lakes throughout Ohio; found in greatest numbers in deep water, clean gravel and boulder substrates	Insect larvae, crayfish, mollusks, and small fish	100 per acre	12" to 14"	
Yellow Perch	Found in Lake Erie, ponds, slow moving rivers throughout Ohio; prefer clear water with moderate vegetation and much sand or gravel on bottom	Adult aquatic insects, insect larvae, and small fishes	100 per acre	5" to 12"	
White Amur	Rapidly moving waters or where adequate food supply exists	Leafy, aquatic plants such as pondweed, coontail, floating duckweed, and cattails	Vegetation: Light: 3 to 5 amurs per acre Moderate: 6 to 10 amurs per acre Heavy: 11 to 15 amurs per acre	3' to 5' long a up to 100 lbs	
Japanese Koi	Originated in 18th century Japan; Popular in USA for 50 years			8" to 9"	
Redear Sunfish (shellcracker)	Not native to Ohio; found primarily in clear, warm waters with vegetation	Snails and other mol- lusks, crayfish, insects, insect larvae, and small fish	250 per acres + 250 bluegill per acre	9" to 11"	