2024 SPRING TREE SEEDLING SALE

Transplants are bareroot plants that have had their root system pruned and planted back in the ground. This greatly increases the survival when again dug and planted. A 3/3 transplant has spent three years in a seedling bed and three years in a transplant bed. These have excellent survival when given good weed and grass control, and they are easy to plant. First Come, first serve. Order while supplies last! The pickup location is as it has been the last few years behind our office in the new pole building located at 8 Fair Road in Norwalk, OH. We will have only a one day pickup during business hours 8:00 a.m. to 4:30 p.m. on Friday, April 19, 2024. Please plan to have your prepaid orders picked up on the specified date for best survival of your seedlings. ORDER NOW!!

EVERGREENS 5 seedlings per packet					OFFICE	CONTA	CITY/S	ADDRESS	TATATAT
Seedling	Age & Seedling Size	How many packets do you want?	Price per packet	Extended Cost	OFFICE RECEIPT#	CONTACT PHONE	CITY/STATE/ZIP	SS	
Fraser Fir	3/3T 10" to 20"	\$30.00	\$						
Norway Spruce	2/3T 12" to 24"		\$25.00	\$		1		1	Ī
Nannyberry sold out Redbud sold out	18" - 24" 18" - 24"	V	\$8.00 \$8.00	1 /			K		
Lilac	18" - 24"		\$8.00	\$	1	/	1		1
	seedling	OR SHAD	ket				500		
sold out Dawn Redwood sold	24" - 36" 18" - 24"		\$8.00 \$8.00				V:		
out	10 21		SUBTOTAL						
		AD	D 7.25% tax	\$				/	
		TOTAL COST	WITH TAX	\$					
Huron S	_	cash or check Rd. Norwalk							

THE DISTRICT SURVEYOR

2024 SPRING SEEDLING INFORMATION

Frasier Fir (Abies fraseri)	ergreen, reaching 30' to 40' in height and 20' to 25' spread.
Norway Spruce (Picea abies)	This pyramidal, pendulous branched evergreen grows between 40' and 60' in height and by 25' to 30' spread. It is considered medium to fast growing. It bears 4" to 6" long cones. It performs well in moist, sandy, acidic, well drained soils in full sun to very light shade. It is commonly used as a windbreak.
Nannyberry (Viburnum lentago)	Nannyberry is a shrub or small tree towards 25' in height which works well in shrub borders. In May, white, creamy flowers appear followed by droopy, oval bluish black fruit beginning in September and sometimes lasting until December. The fruit provides good food for the birds in the winter. Nannyberries have a medium growth rate, and they are adaptable to a wide range of conditions from sun or shade to moist or dry soils.
Eastern Redbud (Cercis canadensis)	For many years, this is the seedling preferred for our Annual 2nd Grade Arbor Day Program. It has a medium growth rate, growing to 20' to 30' in height with a 25' to 35' spread. It is a small tree producing rosy pink to purplish flowers in March to April. Young seedlings should be planted in moist, well drained clay, loam or sandy soils and in full sun to partial shade.
Common Lilac (Syringa vulgaris)	This broad, oval leafed shrub reminds us of Grandmas with its fragrant flowers in mid May. Its mature height is 8' to 15', while its spread is 6' to 12'. It is best grown in loamy clay, loam, sandy loam, sandy soil, while preferring full sun. It is inviting to song birds and bees.
Whitespire B i r c h (Betula populifolia)	This is a narrow, pyramidal, white barked tree. Leaves turn yellow in the fall. The mature height is between 40' and 50' with a mature spread of 15' to 25'. This medium growing tree prefers loamy clay, loam, and sandy loam soils, but it tolerates moist, wet soils. Sun exposure should be partial to full sun. It can be used in wetland restorations.
Dawn Redwood (Metasequoia glyptostrobies)	This is a fast growing tree maturing in height 70° to 100° with a

WWW.HURONSWCD.COM

"An Equal Opportunity Provider and Employer"

2024 SPRING FISH SALE						
	HABITAT/	FOOD	INITIAL	ADULT		
	ABOUT		STOCKING	SIZE		
Black Crappie	Stocked in many lakes and reservoirs around Ohio; close to surface at dawn; prefer stony or hard bottom to lay eggs	Feed on fish and insects	100 per acre along with bass and bluegill; re- stocked every 3 to 5 years	12" to 14"		
Largemouth Bass	Found in ponds, lakes, and slow sluggish streams in every county in Ohio	Adults eat crayfish, frogs, large insects, and fishes	100 per acre	12" to 15"		
Bluegill	Common throughout Ohio but prefer clear ponds and lakes with vegetation	Insects, insect larvae, small fish, fish eggs, and plant materials	500 per acre	6" to 10"		
Hybrid Bluegill		Insects and small fish	100 per acre, because they have a 1% repro- duction rate; stock with bluegill	Length of parent blue- gill and aggressive- ness and thickness of the green sunfish; up to 11"		
Channel Catfish	Common is most large streams and lakes throughout Ohio; found in greatest numbers in deep water, clean gravel and boulder substrates	Insect larvae, crayfish, mollusks, and small fish	100 per acre	12" to 14"		
Perch	Found in Lake Erie and impoundments, ponds, slow moving rivers throughout Ohio. Prefer clear water with moderate vegetation	Adult aquatic insects and larvae, and small fishes	100 per acre (need brush piles and screen overflow to protect perch)	5" to 12"		
White Amur	Rapidly moving waters or where adequate food supply exists	Leafy, aquatic plants such as pondweed, coontail, floating duck- weed, and cattails	Vegetation: Light: 3 to 5 amurs per acre Moderate: 6 to 10 amurs per acre Heavy: 11 to 15 amurs per acre	3' to 5' long and up to 100 lbs.		
Japanese Koi	Originated in 18th century Japan; Popular in USA for 50 years	Duckweed and water- mill	10 to 12 per acre	8" to 9"		
Redear Sunfish	with vegetation		250 per acres + 250 bluegill per acre	9" to 11"		
(shellcracker)						

WWW.HURONSWCD.COM

2024 SPRING FISH SALE

The prepaid, order <u>deadline is April 2, 2024.</u> The pickup is 2:30 p.m. to 3:30 p.m. Tuesday **April 9, 2024** in the parking lot of our building located at 8 Fair Road, Norwalk, OH. Please arrive no later than 2:30 p.m. for pickup of the presold fish for pond stocking.

Bring buckets (5 gallon pails work great) lined with *unscented* poly trash bags, 1/3 filled with water from the pond that your are going to stock. Do not use lids. Fenders Fish Hatchery will inject oxygen in the bags and tie the bag with twine for transport.

A five gallon bucket will transport 100 small fish, four to five large fish, or 1,000 minnows.

FISH	SIZE	COST	HOW MANY	EXTENDED COST	CITY/STATE/ZIP_CONTACT PHONE	ADDRESS
Black Crappie	2" to 4"	\$1.10		\$	TE/ZI	
Largemouth Bass	2" to 3"	\$1.30		\$	NE P	
Bluegill	2" to 4"	\$1.00	111)11	\$		
Hybrid Bluegill	2" to 4"	\$1.00		\$		
Channel Catfish	4" to 5"	\$.90	M.	\$		
Perch	2" to 4"	\$1.10		\$ //		
Fathead Minnows	1" to 3"	\$.08		\$		
Amur	8" to 10"	\$16.00		\$		
Japanese Koi	5" to 7"	\$13.00		\$		
Redear Sunfish	2" to 4"	\$1.00		\$	OFFIC	
Nature's Pond Conditioner	1 gallon for 1/4 acre treatment	\$90.00		\$	OFFICE RECEIPT#	
Nature's Pond Conditioner	5 gallon	\$375.00		\$)T#	
	•		Subtotal	\$	1	
		Add	l 7.25% tax	\$	1	
Your Total Cost			\$	1		